Virus Research, 8 (1987)
Elsevier

Author Index

Anand, R., see Geib, R.W., 327
Anand, R., see Gieb, R.W., 61
Andreu, D., see Mateu, M.G., 261

Badiali De Giorgi, L., see Landini, M.P., 15
Barrett, T., Clarke, D.K., Evans, S.A. and Rima, B.K.
The nucleotide sequence of the gene encoding the F protein of canine distemper virus: a comparison of the deduced amino acid sequence with other paramyxoviruses, 373
Baumann, R.P., see Gray, W.L., 233
Becht, H., see Spies, U., 127
Bennett, D.D. and Wright, S.E.
Immunization with envelope glycoprotein of an avian RNA tumor virus protects against sarcoma virus tumor induction: role of subgroup, 73
Bloemers, H.P.J., see Van Groningen, J.J.M., 349
Bostick, D.A., see Garry, R.F., 245
Bouloy, M., see Gerbaud, S., 1
Bradley, D.W., see Robertson, B.H., 309
Brochot, J., see Dreano, M., 43
Bromley, P., see Dreano, M., 43
Brown, V.K., see Robertson, B.H., 309

Celis, E., see Dietzschold, B., 103
Clarke, D.K., see Barrett, T., 373

De Groot, R., see Jacobs, L., 363
DeBorde, D.C., Naeve, C.W., Heriocher, M.L. and Maassab, H.F.
Nucleotide sequences of the PA and PB1 genes of B/Ann Arbor/1/66 virus: comparison with genes of B/Lee/40 and type A influenza viruses, 33
Deinhardt, F., see Paul, A.V., 153
Dietzschold, B., Lafon, M., Wang, H., Otvos, Jr., L., Celis, E., Wunner, W.H. and Koprowski, H.
Localization and immunological characterization of antigenic domains of the rabies virus internal N and NS proteins, 103
Dizik, M., see Geib, R.W., 327
Doerfler, W., see Knebel, D., 317
Domingo, E., see Mateu, M.G., 261
Dreano, M., Fouillet, X., Brochot, J., Vallet, J.-M., Michel, M.-L., Rungger, D. and Bromley, P.
Heat-regulated expression of the hepatitis B virus surface antigen in the human Wish cell line, 43

Enjuanes, L., see Mateu, M.G., 261
Evans, S.A., see Barrett, T., 373

Feldman, L.A., see Radna, R.L., 277
Foellmer, B., see Radna, R.L., 277
Fouillet, X., see Dreano, M., 43
Francke, U., see Radna, R.L., 277
Furlini, G., see Landini, M.P., 15

Galinski, M.S., Mink, M.A. and Pons, M.W.
Molecular cloning and sequence analysis of the human parainfluenza 3 virus genes encoding the surface glycoproteins, F and HN, 205
Garry, R.F. and Bostick, D.A.
Induction of the stress response: alterations in membrane-associated transport systems and protein modification in heat shocked or Sindbis virus-infected cells, 245
Geib, R.W., Dizik, M., Anand, R. and Lilly, F.
Infection and transformation of *Fv*/2^{rr} erythroprogenitor cells with Friend virus, 327
Gerbaud, S., Vialat, P., Pardigon, N., Wychowski, C., Girard, M. and Bouloy, M.
The S segment of the Germiston virus RNA genome can code for three proteins, 1
Gieb, R.W., Anand, R. and Lilly, F.
Characterization of cell lines derived from enlarged spleens induced in C57BL/6 mice by the variant BSB strain of Friend erythroleukemia virus, 61
Giralt, E., see Mateu, M.G., 261
Girard, M., see Gerbaud, S., 1
Gray, W.L., Baumann, R.P., Robertson, A.T., O'Callaghan, D.J. and Staczek, J.
Characterization and mapping of equine

herpesvirus type 1 immediate early, early, and late transcripts, 233
Günzburg, W.H., see Salmons, B., 81

Hattori, S., see Sato, H., 217
Hayakawa, Y. and Hyman, R.W.
Isomerization of the U_L region of varicella-zoster virus DNA, 25
Herlocher, M.L., see DeBorde, D.C., 33
Horzinek, M.C., see Jacobs, L., 363
Hyman, R.W., see Hayakawa, Y., 25

Imamura, Y., see Sato, H., 217
Ishida, N., see Sato, H., 217

Jacobs, L., De Groot, R., Van der Zeijst, B.A.M., Horzinek, M.C. and Spaan, W.
The nucleotide sequence of the peplomer gene of porcine transmissible gastroenteritis virus (TGEV): comparison with the sequence of the peplomer protein of feline infectious peritonitis virus (FIPV), 363

Kawakita, M., see Sato, H., 217
Kiehn, R., see Paul, A.V., 153
Kitron, N., see Mitrani-Rosenbaum, S., 335
Knebel, D. and Doerfier, W.
Activation of an insect baculovirus promoter in mammalian cells by adenovirus functions, 317
Koprowski, H., see Dietzschold, B., 103
Kuhn, R.J., see Takeda, N., 193

Lafon, M., see Dietzschold, B., 103
Landini, M.P., Severi, B., Furlini, G. and Badiali De Giorgi, L.
Human cytomegalovirus structural components: intracellular and intraviral localization of p28 and p65–69 by immunoelectron microscopy, 15
Lilly, F., see Geib, R.W., 327
Lilly, F., see Geib, R.W., 61

Maassab, H.F., see DeBorde, D.C., 33
Mateu, M.G., Rocha, E., Vicente, O., Vayreda, F., Navalpotro, C., Andreu, D., Pedroso, E., Giralt, E., Enjuanes, L. and Domingo, E.
Reactivity with monoclonal antibodies of viruses from an episode of foot-and-mouth disease, 261
Michel, M.-L., see Dreano, M., 43
Mink, M.A., see Galinski, M.S., 205
Mitrani-Rosenbaum, S. and Kitron, N.
Integration and transcription of human papillomavirus type 6 recombinant DNA in mouse cells, 335
Moyer, R.W.
The role of the host cell nucleus in vaccinia virus morphogenesis, 173
Mueller-Lantzsch, N., see Sauter, M., 141
Müller, H., see Spies, U., 127

Naeve, C.W., see DeBorde, D.C., 33
Navalpotro, C., see Mateu, M.G., 261

O'Callaghan, D.J., see Gray, W.L., 233
Otvos, Jr., L., see Dietzschold, B., 103
Ozer, H.L., see Radna, R.L., 277

Pardigon, N., see Gerbaud, S., 1
Paul, A.V., Tada, H., Von der Helm, K., Wissel, T., Kiehn, R., Wimmer, E. and Deinhardt, F.
The entire nucleotide sequence of the genome of human hepatitis A virus (isolate MBB), 153
Pedroso, E., see Mateu, M.G., 261
Pons, M.W., see Galinski, M.S., 205

Radna, R.L., Foellmer, B., Feldman, L.A., Francke, U. and Ozer, H.L.
Restriction of human adenovirus replication in Chinese hamster cell lines and their hybrids with human cells, 277
Rapp, F., see Wrzos, H., 301
Rima, B.K., see Barrett, T., 373
Robertson, A.T., see Gray, W.L., 233
Robertson, B.H., Brown, V.K. and Bradley, D.W.
Nucleic acid sequence of the VP1 region of attenuated MS-1 hepatitis A virus, 309
Rocha, E., see Mateu, M.G., 261
Rungger, D., see Dreano, M., 43

Salmons, B. and Günzburg, W.H.
Current perspectives in the biology of mouse mammary tumour virus, 81
Sato, H., Hattori, S., Ishida, N., Imamura, Y. and Kawakita, M.
Nucleotide sequence of the hemagglutinin-neuraminidase gene of Newcastle disease virus avirulent strain D26: evidence for a longer coding region with a carboxyl terminal extension as compared to virulent strains, 217
Sauter, M. and Mueller-Lantzsch, N.
Characterization of an Epstein-Barr virus nuclear antigen 2 variant (EBNA 2B) by specific sera, 141
Severi, B., see Landini, M.P., 15
Spaan, W., see Jacobs, L., 363

Spies, U., Müller, H. and Becht, H.
Properties of RNA polymerase activity associated with infectious bursal disease virus and characterization of its reaction products, 127
Staczek, J., see Gray, W.L., 233

Tada, H., see Paul, A.V., 153
Takeda, N., Yang, C.-F., Kuhn, R.J. and Wimmer, E.
Uridylylation of the genome-linked protein of poliovirus in vitro is dependent upon an endogenous RNA template, 193

Vallet, J.-M., see Dreano, M., 43
Van Groningen, J.J.M., Van den Ouweland, A.M.W., Verbeek, J.S., Van der Kemp, A.W.C.M., Bloemers, H.P.J. and Van de Ven, W.J.M.
Structural analysis of a variant clone of Snyder–Theilen feline sarcoma virus, 349
Van de Ven, W.J.M., see Van Groningen, J.J.M., 349
Van den Ouweland, A.M.W., see Van Groningen, J.J.M., 349
Van der Kemp, A.W.C.M., see Van Groningen, J.J.M., 349
Van der Zeijst, B.A.M., see Jacobs, L., 363
Vayreda, F., see Mateu, M.G., 261
Verbeek, J.S., see Van Groningen, J.J.M., 349
Vialat, P., see Gerbaud, S., 1
Vicente, O., see Mateu, M.G., 261
Von der Helm, K., see Paul, A.V., 153

Wang, H., see Dietzschold, B., 103
Wimmer, E., see Paul, A.V., 153
Wimmer, E., see Takeda, N., 193
Wissel, T., see Paul, A.V., 153
Wright, S.E., see Bennett, D.D., 73
Wrzos, H. and Rapp, F.
Establishment of latency in vitro with herpes simplex virus temperature-sensitive mutants at nonpermissive temperature, 301
Wunner, W.H., see Dietzschold, B., 103
Wychowski, C., see Gerbaud, S., 1

Yang, C.-F., see Takeda, N., 193

Virus Research, 8 (1987)
Elsevier

Subject Index

α-Amanitin, 173
Adenovirus, 277
Antigenic variant, 261
Attenuated hepatitis A virus, 309

B cell determinant, 103
Birnaviridae, 127
BSB strain, 61
Bunyavirus, 1

Canine distemper, 373
CAT gene construct as reporter of genetic activity, 317
Cell hybrids, 277
Chinese hamster cell, 277
Coronavirus TGEV, 363
Cytomegalovirus, 15

Dideoxynucleotide sequencing, 33

EBNA antiserum, 141
EBV nuclear protein EBNA 2B, 141
EHV-1, 233
Endogenous provirus, 81
Envelope glycoprotein, 73
Equine herpesvirus, 233
Erythroleukemia, 327
Exogenous MMTV, 81
Expression, 335

Feline sarcoma virus, 349
Foot-and-mouth disease virus, 261
Friend virus, 327
Friend virus, 61
Fusion gene sequence, 205
Fusion gene sequence, 373
Fv-2^{rr}, 327

Genomic organization, 349
Glycoprotein gene sequences, 205

HAV, 309
Heat shock, 245
Hemagglutinin-neuraminidase gene sequence, 205
Hepatitis A virus, 153
Hepatitis B virus surface antigen, 43
Herpes virus, 233
Heterologous promoter activity, 317
HN protein, 217
HN_0 gene, 217
Host cell Pol II, 173
HSV-1 ts mutants, 301
Human cells, 277
Human *hsp*70 promoter, 43
Human viral gene expression, 43

Immunization, 73
Immunoelectron microscopy, 15
In vitro virus latency model, 301
Infectious bursal disease virus, 127
Influenza type A and B virus, 33
Integration, 335
Isomer, 25

Latently EBV-infected cell, 141
Lytic virus infection, 245

Membrane-mediated transport, 245
MMTV, 81
Monoclonal antibody, 261
Morbillivirus, 373
Mouse C57BL/6, 61
Mouse cell, 335

Newcastle disease virus, 217
Non-structural protein, 1
Nonpermissive temperature, 301
NS_s, 1
Nucleic acid sequence, 309
Nucleoprotein, 1
Nucleotide sequence, 1
Nucleotide sequence, 153

Oncogenesis, 61
Oncogenesis, 81
Open reading frame, 1

PA, 33
Parainfluenza 3 virus, 205

Paramyxovirus, 217
PB1, 33
Phosphorylation site, 103
Poliovirus, 193
Polymerase activity, 127
Polymerase, 33

Rabies virus nucleocapsid, 103
Recombinant human papillomavirus DNA, 335
Replication, 277
Retroviral vector, 81
Retrovirus, 327
RNA synthesis in vitro, 193

S1 analysis, 317
Sequence comparison, 153
Sequence, peplomer protein, 363
Species specificity of viral promoter, 317
Structural protein, 15
Subgroup, 73
Synthetic peptide, 261

T cell determinant, 103
TGEV, FIPV, 363
Transactivation, 317
Transcriptional regulation, 233
Translocation, 173
Tumour growth in nude mouse, 43
Type 1 transcription, 233

V-*fes* oncogene, 349
Vaccinia virus, 173
Virus expression, 61
Virus expression, 81
VZV DNA, 25